


Amendments to the Claims:


The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-52. (Canceled)


53. (Currently Amended) A color filter comprising a colored layer as colored pixels provided on a transparent substrate, said colored layer containing a pyrrolo[3,4-c]pyrrole derivative produced by converting at least one ketopyrrole group in a pyrrolo[3,4-c]pyrrole of formula



wherein A and B are each independently of the other a group of formula






wherein R_1 and R_2 are each independently of the other hydrogen, halogen, C_1 - C_{18} alkyl, C_1 - C_{18} alkoxy, C_1 - C_{18} alkylmercapto, C_1 - C_{18} alkylamino, -CN, -NO₂, phenyl, trifluoromethyl, C_5 - C_6 cycloalkyl, -C=N-(C_1 - C_{18} alkyl), a group of formula




imidazolyl, pyrazolyl, triazolyl, piperazinyl, pyrrolyl, oxazolyl, benzoxazolyl, benzothiazolyl, benzimidazolyl, morpholinyl, piperidinyl, or pyrrolidinyl; G is -CH₂-, -CH(CH₃)-, -CH(CH₃)₂-, -CH=N-, -N=N-, -O-, -S-, -SO-, -SO₂-, or -NR₇-; R₃ and R₄ are each independently of the other hydrogen, halogen, C_1 - C_{18} alkoxy, or -CN; R₅ and R₆ are each independently of the other hydrogen, halogen, or C_1 - C_6 alkyl; and R₇ is hydrogen or C_1 - C_6 alkyl; and

D and E are each independently of the other hydrogen, a group of formula



wherein, in the formulae (II), (III), and (IV), m, n, and p are each independently of one another a number of 0 or 1; X is C_1 - C_{14} alkylene or C_2 - C_6 alkenylene; Y is a group -V-(CH₂)_q-; Z is a group -V-(CH₂)_r-; V is C_3 - C_6 cycloalkylene; q is an integer from 1 to 6; r is an integer from 0 to 6; R₈ and R₉ are each independently of the other hydrogen, C_1 - C_6 alkyl, C_1 -

C_4 alkoxy, halogen, CN, NO_2 , unsubstituted phenyl or phenoxy, or phenyl or phenoxy which is substituted by C_1 - C_4 alkyl, C_1 - C_4 alkoxy, or halogen; and Q is hydrogen, CN, $Si(R_8)_3$, a group $C(R_{12})(R_{13})(R_{14})$ wherein R_{12} , R_{13} , and R_{14} are halogen, a group of formula




wherein R_8 and R_9 are as defined above,


a group SO_2R_{15} or SR_{15} wherein R_{15} represents phenyl which is substituted by a C_1 - C_4 alkyl,

a C_1 - C_4 alkoxy, or a halogen,

or a group of formula




R_{10} and R_{11} are each independently of the other hydrogen, C_1 - C_{18} alkyl, or a group of formula




wherein X, Y, R₈, R₉, m, and n are as defined above, or R₁₀ and R₁₁, together with the linking nitrogen atom, form pyrrolidinyl, piperidinyl, or morpholinyl radical; with the proviso that, if D and/or E are a group of formula (III), Q is hydrogen, and n is 0, m must be 1 and X must be a C₂-C₁₄ alkylene or C₂-C₈ alkenylene group which is branched at the carbon atom attached to the oxygen atom,

said at least one ketopyrrole group being converted to



wherein A may be B with the proviso that, if A is B, D is E; and R' is C₁-C₅ alkyl.


54. (Previously Presented) The color filter according to claim 53, wherein A and B are each independently of the other a group of formula



wherein R_1 and R_2 are each independently of the other chloro, bromo, C_1 - C_4 alkyl, C_1 - C_6 alkoxy, C_1 - C_6 alkylamino, CN, or phenyl; G is -O-, $-NR_7$ -, $-N=N$ -, or $-SO_2$ -; R_7 is hydrogen, methyl, or ethyl; and R_3 and R_4 are hydrogen.



55. (Previously Presented) The color filter according to claim 53, wherein A and B are identical to each other.

56. (Previously Presented) The color filter according to claim 55, wherein A and B are a group of formula




wherein R_1 and R_2 are each independently of the other hydrogen, methyl, tert-butyl, chloro, bromo, CN, or phenyl.

57. (Previously Presented) The color filter according to claim 53, wherein D is E, and E is a group of formula




or formula (IV) wherein, in formulae (VI), (VII), and (IV), m is 0 or 1; X is C₁-C₄ alkylene or C₁-C₅ alkenylene; R₈ and R₉ are each independently of the other hydrogen, C₁-C₄ alkyl, methoxy, chloro, or -NO₂-; Q is hydrogen, CN, CCl₃, a group of formula




wherein R₈ and R₉ are as defined above,


SO₂, SH₃, or SCH₃; R₁₀ and R₁₁ are each independently of the other hydrogen, C₁-C₄ alkyl, or a group of formula



or R₁₀ and R₁₁, taken together, form a piperidinyl radical, with the proviso that, if D and/or E are a group of formula (VII) and Q is hydrogen, X is a group of formula



58. (Previously Presented) The color filter according to claim 53, wherein D and E are identical to each other and are a group of formula



59. (Previously Presented) The color filter according to claim 53, wherein the pyrrolo[3,4-c]pyrrole derivative is produced by reacting the pyrrolo[3,4-c]pyrrole of formula (I) in a solvent including a lower alcohol and in the presence of a base as a catalyst.

60. (Previously Presented) The color filter according to claim 59, wherein the reaction is carried out at a temperature of 0 to 400°C for 2 to 80 hr.

61-62. (Canceled)

63. (Previously Presented) The color filter according to claim 59, wherein the reaction is carried out at a temperature of 20 to 200°C.